


CAUTION: For continued safety, replace safety critical components only with manufacturer's recommended parts (refer to parts list).
 ⚠ Indicates safety critical components. To reduce the risk of electric shock, leakage-current or resistance measurements shall be carried out on exposed parts are acceptably insulated from the supply circuit) before the appliance is returned to the customer.
 • DC voltages are as measured with a high impedance voltmeter. Values may vary slightly due to variations between individual instruments or/and units.

IC1	MPX35AGC4VFP	IC7	2SB1662E-F1 or 2SB1666E-F1	IC23	SD201A or SD201K
IC2	TC74VHC00	IC8	SD112 or SD112K	IC24	MA201N(L)
IC3	TC74VHC04	IC9	SD112 or SD112K	IC25	MA201N(L)
IC4	HTM1589	IC10	SD112 or SD112K	IC26	MA201N(L)
	HTFC237P	IC11	SD112 or SD112K	IC27	MA201N(L)
Q17-25	DT114VH or DT114	IC12	SD112 or SD112K	IC28	MA201N(L)
Q18	DT114VH or DT114	IC13	SD112 or SD112K	IC29	MA201N(L)
Q19	DT114VH or DT114	IC14	SD112 or SD112K	IC30	MA201N(L)
Q20	DT114VH or DT114	IC15	SD112 or SD112K	IC31	MA201N(L)
Q21	DT114VH or DT114	IC16	SD112 or SD112K	IC32	MA201N(L)
Q22	DT114VH or DT114	IC17	SD112 or SD112K	IC33	MA201N(L)
Q23	DT114VH or DT114	IC18	SD112 or SD112K	IC34	MA201N(L)
Q24	DT114VH or DT114	IC19	SD112 or SD112K	IC35	MA201N(L)
Q25	DT114VH or DT114	IC20	SD112 or SD112K	IC36	MA201N(L)



2SB1565
2SD2396



DAN202U



DTA124EK
DTC114YK
DTC143TK
2SA1036K
2SB709A

DTA144EK
DTC124EK
DTC144EK
2SA1362
2SC2412K

TA78L05F



2SB1188



DAP202K
DA204K



2SB1184



AN8806SB



2SB1277



DTC124EUA
KRC104S




NJM4565MD



KDC-1016/115S

KENWOOD



KDC-1016/115S

KENWOOD